4x2 water carrying vehicle in 6000 liters water sprinkler vehicles







Main Specification

| Main specification | | | | | | | | |
|--------------------------------|---|-----------------------|----------------|--|--|--|--|--|
| Product model and name | CSC5071GSS3 water truck (Left hand drive) | | | | | | | |
| Gross weight(Kg) | 7495 | Drive type | 4X2 | | | | | |
| Payload(Kg) | 3500 | Overall dimension(mm) | 5995×2050×2450 | | | | | |
| Curb weight(Kg) | 3800 | Cab seats | 3 | | | | | |
| Approach/departure angle(°) | 19/15 | Front/rear hang(mm) | 1115/1580 | | | | | |
| Axle No. | 2 | Wheelbase(mm) | 3300 | | | | | |
| Axle load(Kg) | 2925/4570 | Max speed(Km/h) | 95 | | | | | |
| Chassis specification | | | | | | | | |

| Chassis model | EQ1070T35DJ3AC M | | Manufacturer | | Dongfeng Motor Co., Ltd | | | |
|--|--|---------------|------------------------------------|--------------------|-------------------------------|-------------------|--|--|
| Brand name | Dongfeng | Dimer | Dimension(mm) | | 5895×2045×2210 | | | |
| Tyre specification | 7.00-16 | Tyre No. | | 6 | | | | |
| Steel spring number | 8/9+5 | Front | | ont track base(mm) | | 1586 | | |
| Fuel type | Diesel | Rear track ba | | ise(mm) | 1530 | .530 | | |
| Emission standard | Euro 3 | Trans | Fransmission | | 5 forward gear,1 reverse gear | | | |
| Cab | Single row,luxurious interior trim with seats.And power steering with optional air condition. | | | | | | | |
| Engine model | Engine manufacturer | | Displacement(ml) | | ent(ml) | Power(Kw) | | |
| YC4F115-30 | Guangxi Yuchai Machinery Co.,Ltd 2659 85 | | | | | | | |
| Performance | | | | | | | | |
| Tank volume[]m ³ [] 5 (5000liter) | | | Tank material | | | Carbon steel Q235 | | |
| Water pump model 65QZ40/45 | | | Water pump flow(m ³ /h) | | n³/h) | 40 | | |
| Watering width(M) ≥ 14 | | | Water cannon range (M) | | je (M) | ≥28 | | |
| Feature and Application | | | | | | | | |

1).Equipped with high power self-suction water pump that characterized by high-pressure and fast speed suction.

2).Equipped with front, rear and side sprinklers and high position sprinkler, and rear working platform.

3).The water cannon which is installed on the working platform can rotate by 360 degree and the water flow can be adjusted into various rain shape. There are straight shape, heavy rain, moderate rain and drizzle etc. The max range can reach 30M.

4).Equipped with fire coupling, flow valves, filter screen and water level gauge.

5).According to customers' request, the crane, high working platform and spraying machine also can be equipped. 6).Mainly used for washing on urban roads, watering and greening on trees, green belts and lawn and dust full of construction sites. And also used for drinking water delivery and fire fighting function etc.

























1. Q: How long is the warranty period?

A: All of our trucks have one year warranty or 25000KM since you get the truck.

2. Q: What's the main market of yourcompany?

A: We have customers all over the worldand our main market it Afrian, all the individuals and units are my partnerswho have a demand of china's high quality automobile industry product.

3. Q: How much the production capacity and supply capacity of your factory for one year?

. A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

4. Q: Where is your factory located?

A:Our company is located in Suizhou City,Hubei Province,the Capital of Special Purpose Vehicle in China.Warmly welcome to our factory.


5. Q: The reason why you chose our company?

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.



















if you want to know me, please use your phone to scan above QR code