Small water delivery truck capacity 6000L water transport trucks









Main specification									
Product model and name	CSC5071GSS3 water truck (Left hand drive)								
Gross weight(Kg)	7495	Drive type	4X2						
Payload(Kg)	3500	Overall dimension(mm)	5995×2050×2450						
Curb weight(Kg)	3800	Cab seats	3						
Approach/departure angle(°)	19/15	Front/rear hang(mm)	1115/1580						
Axle No.	2	Wheelbase(mm)	3300						
Axle load(Kg)	2925/4570	Max speed(Km/h)	95						
Chassis specification									

Chassis model	EQ1070T35DJ3AC	Manufacturer		Dongfeng Motor Co., Ltd					
Brand name	Dongfeng	Dimension(mm)		5895×2045×2210					
Tyre specification	ion 7.00-16		Tyre No.		6				
Steel spring number	8/9+5	Front	track ba	ase(mm)	1586				
Fuel type	Diesel Rear		track base(mm) 1530		1530				
Emission standard	rd Euro 3 T		ransmission		5 forward gear,1 reverse gear				
li an	Single row,luxurious interior trim with seats.And power steering								
	with optional air condition.								
Engine model	Engine manufacturer	Displacement(ml)		ent(ml)	Power(Kw)				
YC4F115-30	Guangxi Yuchai Machinery Co.,Ltd 2659 85								
Performance									
Tank volume[m³[] 5 (5000liter)		Tank material			Carbon steel Q235				
Water pump model 65QZ40/45			Water pump flow(m³/h)		n³/h)	40			
Watering width(M) ≥14			Water cannon range (M)		e (M)	≥28			
Feature and Application									

- 1). Equipped with high power self-suction water pump that characterized by high-pressure and fast speed suction.
- 2). Equipped with front, rear and side sprinklers and high position sprinkler, and rear working platform.
- 3). The water cannon which is installed on the working platform can rotate by 360 degree and the water flow can be adjusted into various rain shape. There are straight shape, heavy rain, moderate rain and drizzle etc. The max range can reach 30M.
- 4). Equipped with fire coupling, flow valves, filter screen and water level gauge.
- 5). According to customers' request, the crane, high working platform and spraying machine also can be equipped.
- 6). Mainly used for washing on urban roads, watering and greening on trees, green belts and lawn and dust full of construction sites. And also used for drinking water delivery and fire fighting function etc.







Hubei ChenYuan Special Auto Co., LTD

IVECO BRAND

Overall dimension(mm):9950X2490X3350

Tank volume (m³): 20000 Liters





Hubei ChenYuan Special Auto Co., LTD

SINOTRUCK BRAND HOWO SERIES

Overall dimension(mm):10150x2495x3220

Tank volume (m³): 15000 Liters

Hubei ChenYuan Special Auto Co., LTD

IVECO BRAND

Overall dimension(mm):8915x2500x3200

Tank volume (m³): 16500 Liters



FACTORY OVERVIEW















WORKSHOP DISPLAY















1. Q: How long is the warranty period?

A: All of our trucks have one year warranty or 25000KM since you get the truck.

2. Q: What's the main market of yourcompany?

A: We have customers all over the worldand our main market it Afrian, all the individuals and units are my partnerswho have a demand of china's high quality automobile industry product.

3. Q: How much the production capacity and supply capacity of your factory for one year?

. A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

4. Q: Where is your factory located?

A:Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.


5. Q: The reason why you chose our company?

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.









CLIENTS INVISTING







Tel:+86 722 3229822



Mobile:++86 18808666258



Email: steven@chinacyalestruck.com



Skype:Truck_chengli



Whatsap:+86 18808666258



Web: www.chinacysalestruck.com

Steven.wang



if you want to know me, please use your phone to scan above QR code