small street fast food trucks for sale

MOBILE SALES SHOP

Manufacture's direct selling in order to save costs for our customers

Keep a good quality and create a good comfortable outdoor sales window











Vehicles Parameters		
Dimensions	Overall dimensions(mm)	4850×1810×2560
	Cabinet size(mm)	2700x1600x1800
	GVW(kg)	1990
	Wheelbase/mm	2760
	Approach/Departure Angle/°	37/13
	Front/Rear Overhang/mm	590/1500
Cab	Cab Capacity	Single row, left steering wheel
	Air Conditioner	No

Chassis	Chassis model	EQ1021TFJ53	
	Brand	Dongfeng	
	Driven Mode	4x2, LHD	
	Emission standard	Euro IV	
	Front/ Rear track base(mm)	1310/1310	
	Tyre	165/70R14	
	Fuel Type	gasoline	
	Gear Box	5 forwards 1 backward	
	Max Speed/ km/h	110	
	Engine model	BG10-07	
	Horsepower/HP	70	
Engine	Displacement/ml	1012	
	Max Torque	108 N·m	
	Speed at Max Torque	3000 rpm	
	The compartments is made of cold-rolled steel sheet or glass fiber reinforced		
	plastic material , the compartments with heat insulation function , and the floor		
	made of skidproof , waterproof and wear-resistant aluminum checkered plate ; The		
	top of the compartments is closed and can not open , but the left and right side and		
	the back can be expanded and there is vending bar on both left and right side. The		
Standard Equipment	internal compartments is installed with LED vending floodlights or two columns		
	spotlight (5pcs / column), megaphone, master switch, USB interface, large space		
	locker; The outside of the compartments is installed two loudspeakers, 105A		
	battery, 220V external power supply interface , 15m external power supply cord,		
	telescopic truck pedal; truck color (light pink ,brown and light green) and LOGO as		
	per customer demand .		



Standard Configuration: The food truckexternal surface body is fiberglass steel, intermediate interlayer for heatinsulation and fire insulation layer, and the internal surface is stainless steel; The left and right side and the backside can be expanded and there is vendingbar on both left and right side. The internal compartment is installed with LED floodlights, megaphone, master switch, USB interface, large space locker; Theoutside of the compartment is installed with two loudspeakers, 105A storage battery, 220V external power supply interface, 15m external power supply cord, telescopic truck pedal; Different truck colors and skin stickers are optional.

Food truck optional equipments description:

Optional Configuration: Internal compartment equipment can be customised according to user's requirements suchas generator/freezer/cold drink machine/vending bar/cooker etc; The left andright side of the compartment body can be chosed different structure forms ofside panel; The selling window can be also opened on any side of the truck bodyaccording to customer demand, the below board can be unfold to extend the cargoarea in vending operation; The glass sliding window can be also choosed on bothside of the compartment body. The back door of the compartment can choose singleopen door, double flat open door or lift-up door. Both sides and back of the compartment can be optional advertising glass roller light box or LED screen. Truck roof can choose overhead air conditioning, baggage holder, left and right side can be chosed awning, the back side of the truck can be chosedcrawling ladder.





INNER EQUIPMENT' DETAILS
















Summary:

- · selling snacks, as a fast food cart which you can make and sell fast food
- · kitchen cart which you can make food for yourself
- · shop which you can sell phone card and phone
- · aid post which you can help everyone
- · book store which you can sell newspaper , magazine etc
- · housing when you have a trip by car or jeep
- · repare shop to main for your clients
- · empty cart which do it by yourself







Hubei ChenYuan Special Auto Co., LTD

Foton Brand mobile food truck Overall dimensions(mm): 4730×1780×2630 Cabinet size(mm):2900*1720*1810



Hubei ChenYuan Special Auto Co., LTD

CHERRY Brand mobile food truck Overall dimensions(mm): 4730×1780×2630 Cabinet size(mm):2900*1720*1810



Hubei ChenYuan Special Auto Co., LTD

CHANGAN Brand mobile food truck Overall dimensions(mm): 4730×1780×2630 Cabinet size(mm):2900*1720*1810



Hubei ChenYuan Special Auto Co., LTD

NECO Brand mobile food truck
Overall dimensions(mm): 5995x2370x3200
Cabinet size(mm):3650x2120x1960



Hubei ChenYuan Special Auto Co., LTD

FOOD TRAILER Overall dimensions(mm): 5630*2130*2500



Hubei ChenYuan Special Auto Co., LTD

DONGFENG Brand mobile food truck Overall dimensions(mm): 5995 * 2090 * 3300 Cabinet size(mm):4200x1800x1850

FACTORY OVERVIEW















WORKSHOP DISPLAY















1. Q: How long is the warranty period?

A: All of our trucks have one year warranty or 25000KM since you get the truck.

2. Q: What's the main market of yourcompany?

A: We have customers all over the worldand our main market it Afrian, all the individuals and units are my partnerswho have a demand of china's high quality automobile industry product.

3. Q: How much the production capacity and supply capacity of your factory for one year?

. A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

4. Q: Where is your factory located?

A:Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.


5. Q: The reason why you chose our company?

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.









CLIENTS INVISTING



CONTACT US



Tel:+86 722 3229822



Mobile:++86 18808666258



Email: steven@chinacyalestruck.com



Skype:Truck_chengli



Whatsap:+86 18808666258



Web: www.chinacysalestruck.com

Steven.wang



if you want to know me, please use your phone to scan above QR code