

4x2□□□□□□□□□□□□□□□□□□□□

□□ □□ □

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□



辰远专汽  
CHENYUAN-AUTO

www.chinacysalestruck.com



(0086) 18808666258



steven@chinacysalestruck.com








## Main Specification

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="4">BJ1036V5JV5-D1</td> </tr> <tr> <td style="width: 25%;">GVW</td> <td style="width: 25%;">2550</td> <td style="width: 25%;">Kg</td> <td style="width: 25%;">860</td> </tr> <tr> <td>kg</td> <td>1560</td> <td></td> <td>2</td> </tr> <tr> <td>mm</td> <td>5130×1780×2630</td> <td>mm</td> <td>3000 * 1780 * 1810</td> </tr> <tr> <td>°</td> <td>39/20</td> <td>F / R mm</td> <td></td> </tr> <tr> <td></td> <td>2</td> <td>mm</td> <td>3070</td> </tr> <tr> <td></td> <td></td> <td>Km / h</td> <td>115</td> </tr> </table>				BJ1036V5JV5-D1				GVW	2550	Kg	860	kg	1560		2	mm	5130×1780×2630	mm	3000 * 1780 * 1810	°	39/20	F / R mm			2	mm	3070			Km / h	115																	
BJ1036V5JV5-D1																																																
GVW	2550	Kg	860																																													
kg	1560		2																																													
mm	5130×1780×2630	mm	3000 * 1780 * 1810																																													
°	39/20	F / R mm																																														
	2	mm	3070																																													
		Km / h	115																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="4">BJ1036V5JV5-D1</td> </tr> <tr> <td style="width: 25%;">R</td> <td style="width: 25%;">R</td> <td style="width: 25%;">R</td> <td style="width: 25%;">R</td> </tr> <tr> <td></td> <td>175R14LT 8PR</td> <td></td> <td>4</td> </tr> <tr> <td>mm</td> <td>1338</td> <td>mm</td> <td>1375</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td colspan="3">5 1</td> </tr> <tr> <td></td> <td colspan="3"></td> </tr> <tr> <td rowspan="4"></td> <td colspan="3">LJ469Q-1AE9</td> </tr> <tr> <td></td> <td colspan="2"></td> </tr> <tr> <td>m</td> <td colspan="2">1249</td> </tr> <tr> <td>Kw</td> <td colspan="2">64</td> </tr> <tr> <td></td> <td></td> <td colspan="2">118N.m / 6000rpm</td> </tr> </table>				BJ1036V5JV5-D1				R	R	R	R		175R14LT 8PR		4	mm	1338	mm	1375						5 1								LJ469Q-1AE9						m	1249		Kw	64				118N.m / 6000rpm	
BJ1036V5JV5-D1																																																
R	R	R	R																																													
	175R14LT 8PR		4																																													
mm	1338	mm	1375																																													
	5 1																																															
	LJ469Q-1AE9																																															
	m	1249																																														
	Kw	64																																														
		118N.m / 6000rpm																																														




## Food truck description

truckexternal; LED USB; 105A 220V 15m;







OTHER'S TYPE



辰远专汽  
CHENYUAN-AUTO



More

Hubei ChenYuan Special Auto Co., LTD

Foton Brand mobile food truck  
Overall dimensions(mm): 4730\*1780\*2630  
Cabinet size(mm):2900\*1720\*1810



辰远专汽  
CHENYUAN-AUTO



More

Hubei ChenYuan Special Auto Co., LTD

CHERRY Brand mobile food truck  
Overall dimensions(mm): 4730\*1780\*2630  
Cabinet size(mm):2900\*1720\*1810



辰远专汽  
CHENYUAN-AUTO



More

Hubei ChenYuan Special Auto Co., LTD

CHANGAN Brand mobile food truck  
Overall dimensions(mm): 4730\*1780\*2630  
Cabinet size(mm):2900\*1720\*1810



辰远专汽  
CHENYUAN-AUTO



More

Hubei ChenYuan Special Auto Co., LTD

IVECO Brand mobile food truck  
Overall dimensions(mm): 5995x2370x3200  
Cabinet size(mm):3650x2120x1960



辰远专汽  
CHENYUAN-AUTO



More

Hubei ChenYuan Special Auto Co., LTD

FOOD TRAILER  
Overall dimensions(mm): 5630\*2130\*2500



辰远专汽  
CHENYUAN-AUTO



More

Hubei ChenYuan Special Auto Co., LTD

DONGFENG Brand mobile food truck  
Overall dimensions(mm): 5995 \* 2090 \* 3300  
Cabinet size(mm):4200x1800x1850







WORKSHOP DISPLAY



OUR CERTIFICATION




Why Choose Us?

1. 工厂通过ISO 14001:2004 / ISO 14001:2005 环境管理体系认证，认证范围覆盖整车生产及售后服务。
  2. 工厂通过GB/T 28001-2001 / OHSAS 18001:2007 职业健康安全管理体系认证，认证范围覆盖整车生产及售后服务。
  3. 工厂通过ISO 9001:2015 质量管理体系认证，认证范围覆盖整车生产及售后服务。
  4. 工厂拥有完善的质量管理体系，确保产品质量稳定可靠。
  5. 工厂拥有完善的生产管理体系，确保生产效率和交货周期。
- 工厂拥有完善的质量管理体系，确保产品质量稳定可靠。工厂拥有完善的生产管理体系，确保生产效率和交货周期。

PACKAGING & SHIPPING



## OUR MARKET



CLIENTS INVISTING



CONTACT US

**Steven.wang**



Tel:+86 722 3229822



Mobile:++86 18808666258



Email: [steven@chinacyalestruck.com](mailto:steven@chinacyalestruck.com)



Skype:Truck\_chengli



Whatsap:+86 18808666258



Web: [www.chinacyalestruck.com](http://www.chinacyalestruck.com)



if you want to know me,  
please use your phone to  
scan above QR code