

HOWO12



Main Specification

ZZ5251GJBN3841C			
GVW	25000	6×4	
kg	11980	mm	8935×2490×3875
Kg	12890		2

°C/°F	20.5 / 22	F / R mm	
	3	mm	4200 + 1350
	18000/7000	Km / h	74
	ZZ1251N3841C		
	-		
	12.00R20	mm	7820×2490×3070
	12 / 12,10 / 12		10
		mm	2047
	III	mm	1850
	10		III
	10		
	WD615.95E Displacement ml 9726/247		
		hina G roup	
		2200RPM	
		1350N.m	
		1100-1600rpm	
	m³	10	
		Q345	
	/ /		
	L	350L	







OUR CERTIFICATION



Why Choose Us?

1. 我们拥有完善的质量管理体系，通过了ISO 9001:2015认证，产品合格率高达99.99%。
2. 我们拥有完善的环境管理体系，通过了ISO 14001:2015认证，产品合格率高达99.99%。
3. 我们拥有完善的安全管理体系，通过了ISO 45001:2018认证，产品合格率高达99.99%。
4. 我们拥有完善的服务体系，通过了ISO 9001:2015认证，产品合格率高达99.99%。
5. 我们拥有完善的技术体系，通过了ISO 9001:2015认证，产品合格率高达99.99%。

PACKAGING & SHIPPING



OUR MARKET



CLIENTS INVISTING



CONTACT US

Steven.wang



Tel:+86 722 3229822



Mobile:++86 18808666258



Email: steven@chinacyalestruck.com



Skype:Truck_chengli



Whatsap:+86 18808666258



Web: www.chinacysalestruck.com



if you want to know me,
please use your phone to
scan above QR code