6000L small water bowser truck supplier in china









Main specification							
Product model and name	CSC5071GSS3 water truck (Left hand drive)						
Gross weight(Kg)	7495	Drive type	4X2				
Payload(Kg)	3500	Overall dimension(mm)	5995×2050×2450				
Curb weight(Kg)	3800	Cab seats	3				
Approach/departure angle(°)	19/15	Front/rear hang(mm)	1115/1580				

Axle No.	2	Wheelbase(mm)		3300				
Axle load(Kg)	oad(Kg) 2925/4570		Max speed(Km/h)					
Chassis specification								
Chassis model	EQ1070T35DJ3AC	Manufacturer		Dongfeng Motor Co., Ltd				
Brand name	Dongfeng	Dimension(mm)		5895×2045×2210				
Tyre specification	7.00-16	Tyre No.		6				
Steel spring number	8/9+5	Front track base(mm)		1586				
Fuel type	Diesel	Rear track base(mm)		1530				
Emission standard	Euro 3	Transmission	ismission 5		5 forward gear,1 reverse gear			
Cab	Single row, luxurious interior trim with seats. And power steering with optional air condition.							
Engine model	Engine manufacturer Displacement			ent(ml)	Power(Kw)			
YC4F115-30	Guangxi Yuchai Machinery Co.,Ltd 2659 85							
Performance								
Tank volume[]m³[]	5 (5000liter)		Tank material		Carbon steel Q235			
Water pump model 65QZ40/45		Water	Water pump flow(m³/h)		40			
Watering width(M) ≥14		Water	Water cannon range (M)		≥28			
Feature and Application								

- 1). Equipped with high power self-suction water pump that characterized by high-pressure and fast speed suction.
- 2). Equipped with front, rear and side sprinklers and high position sprinkler, and rear working platform.
- 3). The water cannon which is installed on the working platform can rotate by 360 degree and the water flow can be adjusted into various rain shape. There are straight shape, heavy rain, moderate rain and drizzle etc. The max range can reach 30M.
- 4). Equipped with fire coupling, flow valves, filter screen and water level gauge.
- 5). According to customers' request, the crane, high working platform and spraying machine also can be equipped.
- 6). Mainly used for washing on urban roads, watering and greening on trees, green belts and lawn and dust full of construction sites. And also used for drinking water delivery and fire fighting function etc.







Hubei ChenYuan Special Auto Co., LTD

IVECO BRAND

Overall dimension(mm):9950X2490X3350

Tank volume (m³): 20000 Liters





Hubei ChenYuan Special Auto Co., LTD

SINOTRUCK BRAND HOWO SERIES

Overall dimension(mm):10150x2495x3220

Tank volume (m³): 15000 Liters

Hubei ChenYuan Special Auto Co., LTD

IVECO BRAND

Overall dimension(mm):8915x2500x3200

Tank volume (m³): 16500 Liters



FACTORY OVERVIEW















WORKSHOP DISPLAY















1. Q: How long is the warranty period?

A: All of our trucks have one year warranty or 25000KM since you get the truck.

2. Q: What's the main market of yourcompany?

A: We have customers all over the worldand our main market it Afrian, all the individuals and units are my partnerswho have a demand of china's high quality automobile industry product.

3. Q: How much the production capacity and supply capacity of your factory for one year?

. A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

4. Q: Where is your factory located?

A:Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.


5. Q: The reason why you chose our company?

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.









CLIENTS INVISTING







Tel:+86 722 3229822



Mobile:++86 18808666258



Email: steven@chinacyalestruck.com



Skype:Truck_chengli



Whatsap:+86 18808666258



Web: www.chinacysalestruck.com

Steven.wang



if you want to know me, please use your phone to scan above QR code