

JMC new style 5.5cbm road sweeper truck supplier made in china



辰远专汽
CHENYUAN-AUTO

www.chinacysalestruck.com



(0086) 18808666258



steven@chinacysalestruck.com



辰远专汽
CHENYUAN-AUTO

www.chinacysalestruck.com



(0086) 18808666258



steven@chinacysalestruck.com



辰远专汽
CHENYUAN-AUTO

www.chinacysalestruck.com



(0086) 18808666258



steven@chinacysalestruck.com

Main Specification

Main specifications			
Product model□name	HCQ5061TSLJX Road Sweeper Vehicles		
Gross weight(Kg)	5790	Drive type	4 × 2
Payload (Kg)	685,620	Overall dimension (mm)	6190×1990×2590
Curb weight(Kg)	4975	cab seats (man)	2,3
Approach / departure angle(°)	27/13	Front/rear hang(mm)	1015/1815
Number of axles	2	Wheelbase(mm)	3360
Axle load	2200/3590	Max speed(Km/h)	95
Chassis specifications			
Chassis model	JX1060TG24	Manufacturer	Jiangling auto Limited by Share Ltd
Brand name	JMC	Overall dimension(mm)	5825×1880×2020
Tire specification	7.00R16L	Tires No.	6
Steel spring number	7/5+5	Front track(mm)	1385
Fuel type	Diesel	Rear track(mm)	1425
Emission standard	Euro IV	Transmission	5 forward gear
Cabin	Luxury interior and Instrument bar, with air conditioning and sleeper.		
Engine information	Main engine model	JX493ZLQ4	
	Engine manufacture	JiangXi Isuzu Engine Co.,Ltd	
	Displacement(ml)	2771	
	Power(Kw)	80	
	Max Torque	260 N.m	
	Speed at Max Torque	3800 rpm	
Road Sweeper Performance			
Trash tank volume (m³)	4	Water tank volume (m³)	1.5
Material of trash tank	Stainless steel	Material of water tank	Stainless steel
Model of auxiliary engine	JX493G	Power of auxiliary engine(Kw)	57KW
Manufacturers of auxiliary engine	JiangXi Isuzu Engine Co.,Ltd	Max sweeping width(mm)	3200
Sweeping speed (km / h)	3-20	Sweeping capacity□□/h□	9000- 60000
Maximum Grain size and quality (mm)	100mm\± 1.5kg	Cleaning Rate	96%
Road Sweeper Features			
<p>1.The control box is in the cab, all kinds of system electrical centralized to control, and easy to operate!</p> <p>2, Four scan disk combined with suction nozzle in working. according to a different cleaning conditions Scan disk speed can be controlled by choosing three gear-High, medium and low, which can make sure there be have a good cleaning results in a variety of pollution status. and when met the obstacle, the scan disk can be have a automatic avoidance protections and features automatic reset function, and retracted automatically, then reseted automatically after over some obstacles!</p> <p>3.Both of side of the scan disk can be working altogether, or unilateral work independently.</p> <p>4.The core components of hydraulic systems adopts the original import!</p>			





WORKSHOP DISPLAY



OUR CERTIFICATION



Why Choose Us?

1. Q: How long is the warranty period?

A: All of our trucks have one year warranty or 25000KM since you get the truck.

2. Q: What's the main market of your company?

A: We have customers all over the world and our main market is Africa, all the individuals and units are my partners who have a demand of China's high quality automobile industry product.

3. Q: How much the production capacity and supply capacity of your factory for one year?

A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

4. Q: Where is your factory located?

A: Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.

5. Q: The reason why you chose our company?

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.

PACKAGING & SHIPPING



OUR MARKET



CLIENTS INVISTING



CONTACT US

Steven.wang



Tel:+86 722 3229822



Mobile:++86 18808666258



Email: steven@chinacyalestruck.com



Skype:Truck_chengli



Whatsap:+86 18808666258



Web: www.chinacyalestruck.com



if you want to know me,
please use your phone to
scan above QR code