

Mini or small outdoor advertising truck in screen plate factory



Main Specification

Main specifications			
Product model□name	ZQZ5021XXCA Mini led truck		
Total weight(Kg)	1810	Drive form	4x2
Payload (Kg)	4950	Overall dimension (mm)	4200×1695×2405
Curb weight(Kg)	1185	cab seats (man)	2
Approach / departure angle(°)	58/21	Front/rear hang(mm)	480/1220
Number of axles	2	Wheelbase(mm)	2500
Axle load	925/885	Max speed(Km/h)	95
Chassis specifications			
Chassis model	SC1022DB4N	Manufacturer	Hebei Changan Automobile Co., Ltd.
Brand name	ChangAn brand	Overall dimension(mm)	3800×1480×1810
Tire specification	165/70R13LT	Tires No.	4
Leaf spring	-/5	Front track(mm)	1280
Type of fuel	Gas	Rear track(mm)	1290
Emission standard	Euro III	Transmission	5 forward gear
Driving cab	□		
Chassis model	Engine Manufacturer	Displacement(ml)	Power(KW)
JL466Q4	Chongqing Changan automobile Limited by Share Ltd	1012	39
Led truck			
Main Screen Model	P8 bright LED Screen	Left side of the Screen size in body	□
Right side of the roller ad size	8KW Omar ultra-quiet generator	Rear monochrome screen size	
Screen Power Source	4 Waterproof frets	Control System	Industrial Computer
Audio Equipment	Omar ultra-quiet generator 8KW	Screen Lift System	Hydraulic Lift
Screen Lift Height		Spare external power connector	380V
Led truck			
1. This truck is a special vehicle for advertising, generally used for the product promotion, brand promotion, draft activities			
Live shows sales, sporting events, vocal concerts, concerts!			
2□Can be showing at any time, communication, interaction, publicity coverage extensively. And meanwhile effectively get the best of advertising effect,,			
3. According to own requirement. you can select the left and right sides and the back medium(include LED full color, Monochrome LED, Light box advertising) , screen type.,			
4. Can select to configure the stage hydraulic extension, which is a multi-purpose vehicle.			



MOBILE LED TRUCK


Scanning mode:1/8 Scanning
 Point spacing (mm) :6
 Module pixel (point):32*32
 Module Size (mm) :192*192
 Pixel density (point /m2):27777
 Structural characteristics:Lamp drive in one
 brightness(CD/M2):≥5800
 Module weight(Kg):0.335
 Maximum current(A):6.94
 Whole screen power(W/m2): 942
 Optimal sight distance (m):≥6



Type of lamp tube:SMD3535
 Attenuation rate:≤15%
 Average time free time: ≥10 thousand hours
 Blind rate: <0.0001, The factory is 0
 Viewing angle(°):
 Level: 140°
 Vertical: 130°
 DriveIC: Constant current drive chip
 Refresh rate(HZ): ≥ 960
 Protection grade: IP65(Front)
 Gray level (Bit) :13



Tilt Sensor Installation Diagram





WORKSHOP DISPLAY



OUR CERTIFICATION



Why Choose Us?

1. Q: How long is the warranty period?

A: All of our trucks have one year warranty or 25000KM since you get the truck.

2. Q: What's the main market of your company?

A: We have customers all over the world and our main market is Africa, all the individuals and units are my partners who have a demand of China's high quality automobile industry product.

3. Q: How much the production capacity and supply capacity of your factory for one year?

A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

4. Q: Where is your factory located?

A: Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.

5. Q: The reason why you chose our company?

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.

PACKAGING & SHIPPING



OUR MARKET



CLIENTS INVISTING



CONTACT US

Steven.wang



Tel:+86 722 3229822



Mobile:++86 18808666258



Email: steven@chinacyalestruck.com



Skype:Truck_chengli



Whatsap:+86 18808666258



Web: www.chinacyalestruck.com



if you want to know me,
please use your phone to
scan above QR code