

# 4x2 drive Street sweeper trucks factory in china

Street Sweeper Truck

Manufacture's direct selling in order to save costs for our customers



[www.chinacysalestruck.com](http://www.chinacysalestruck.com)



(0086) 18808666258



[steven@chinacysalestruck.com](mailto:steven@chinacysalestruck.com)





Main Specification

Main specifications			
Product model□name	HCQ5071TSLDFA Road Sweeper		
Gross weight(Kg)	7300	Drive type	4 × 2
Payload (Kg)	2150	Overall dimension (mm)	6190×1990×2590
Curb weight(Kg)	4955	cab seats (man)	3
Approach / departure angle(°)	19/15	Front/rear hang(mm)	1032/1858
Number of axles	2	Wheelbase(mm)	3300
Axle load	2920/4380	Max speed(Km/h)	95
Chassis specifications			
Chassis model	DFA1070SJ35D6	Manufacturer	DongFeng Motors Co., Ltd.
Brand name	DongFeng	Overall dimension(mm)	5845×1900×2220
Tire specification	7.00-16	Tires No.	6
Steel spring number	8/9+5,6/8+4,6/6+5	Front track(mm)	1506,1404,1500,1441
Fuel type	Diesel	Rear track(mm)	1466,1458,1520,1500
Emission standard	Euro IV	Transmission	5 forward gear
Cabin	Luxury interior and Instrument bar, with air conditioning.		
Engine model	Engine manufacture	Displacement(ml)	Power(Kw)
CY4102-CE4F	DongFeng Chaoyang Diesel Co.,Ltd	3856	73
Road Sweeper Performance			
Trash tank volume (m <sup>3</sup> )	□4	Water tank volume (m <sup>3</sup> )	1.5
Material of trash tank	Stainless steel	Material of water tank	Stainless steel
Model of auxiliary engine	JX493G	Power of auxiliary engine(Kw)	57KW
Manufacturers of auxiliary engine	JiangXi ISUZU Engine Co., Ltd.	Max sweeping width(mm)	3200
Sweeping speed (km/h)	3-20	Sweeping capacity□□/h□	9000- 60000
Maximum Grain size and quality (mm)	100mm\±1.5kg	Cleaning Rate	96%
Road Sweeper Features			
<p>1.The control box is in the cab, all kinds of system electrical centralized to control, and easy to operate!</p> <p>2, Four scan disk combined with suction nozzle in working. according to a different cleaning conditions Scan disk speed can be controlled by choosing three gear-High, medium and low, which can make sure there be have a good cleaning results in a variety of pollution status. and when met the obstacle, the scan disk can be have a automatic avoidance protections and features automatic reset function, and retracted automaticly, then reseted automaticly after over some obstacles!</p> <p>3.Both of side of the scan disk can be working altogether, or unilateral work independently.</p> <p>4.The core components of hydraulic systems adopts the original import!</p>			





**WORKSHOP DISPLAY**



OUR CERTIFICATION



## Why Choose Us?

**1. Q: How long is the warranty period?**

A: All of our trucks have one year warranty or 25000KM since you get the truck.

**2. Q: What's the main market of your company?**

A: We have customers all over the world and our main market is Africa, all the individuals and units are my partners who have a demand of China's high quality automobile industry product.

**3. Q: How much the production capacity and supply capacity of your factory for one year?**

A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

**4. Q: Where is your factory located?**

A: Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.

**5. Q: The reason why you chose our company?**

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.

## PACKAGING & SHIPPING



OUR MARKET





CLIENTS INVISTING



CONTACT US

**Steven.wang**



Tel:+86 722 3229822



Mobile:++86 18808666258



Email: [steven@chinacyalestruck.com](mailto:steven@chinacyalestruck.com)



Skype:Truck\_chengli



Whatsap:+86 18808666258



Web: [www.chinacyalestruck.com](http://www.chinacyalestruck.com)



if you want to know me,  
please use your phone to  
scan above QR code