

dongfeng brand 4x2 na presyo ng trak ng basura



Mga pangunahing pagtutukoy			
Modelo ng produkto, pangalan	CSC5060ZYS3 Compression Garbage Truck (Left hand drive)		
Gross weight (Kg)	9495	Uri ng pagmamaneho	4 * 2
Payload (Kg)	4000	Pangkalahatang sukat (mm)	6470 * 2050 * 2560
Bawasan ang timbang (Kg)	5365	Upuan ng Cab (tao)	2
Approach / departure angle (°)	10/19	Front / rear hang (mm)	1032/2138
Axle No.	2	Wheelbase (mm)	3300
Pag-load ng Axle (Kg)	2570/3925	Max bilis (Km / h)	95
Mga pagtutukoy ng tsasis			
Modelo ng tsasis	EQ1060TJ20D3	Paggawa	Dongfeng automobile company
Tatak	Dongfeng	Pangkalahatang sukat (mm)	5820 * 1940 * 2080
Pagtutukoy ng gulong	7.00-16	Hindi.	6 + 1
Steel spring number	8/9 + 5	Front track (mm)	1506
Uri ng panggatong	Diesel	Rear track (mm)	1442
Pamantayan ng pagpapalabas	Euro III	Gear box	5 pasulong
Cab	Flat single cab, maluhu interior at upuan, air conditioning ay opsyonal		

Modelo ng makina	Paggawa ng makina	Paglipat (ml)	Power (Kw) / lakas-kabayo
CY4102-C3F	Dongfeng chaoyang chaochai power co., Ltd	3856	70 / 95HP
Pagganap	Katawan kapasidad (m ³): 5		
	Oras ng pag-ikot ng compression (S): 30		
	Sistema ng kontrol: Manu-manong + Awtomatikong		
	Kapote ng kapasidad (m ³) 0.8		
	Alisin ang oras ng basura (S): 40		
Sistema ng kontrol: Manu-manong + Awtomatikong			
Pangunahing Katangian			
<p>1, Maaaring piliin ang 240L (single bin, double bins) o 360L, 660L, 1100L standard bin lifting at mekanismo ng paglipat ng tungkulin, maaari ring piliin ang tipaklong lupa at iba pang mga uri ng pag-load ng mekanismo.</p> <p>2, Gamit ang manu-manong at awtomatikong dalawang hanay ng paraan ng pagkontrol, ang operator ay maaaring makontrol sa cabin, sa gitnang bahagi o sa likod ng trak, napaka maginhawa at mahusay.</p> <p>3, Gamit ang nagtatrabaho na aparato ng emergency stop na pagpepreno.</p> <p>4, Paggamit ng basura katawan frame disenyo, eleganteng, malakas na istraktura, malaking epektibong kapasidad.</p> <p>5, Nilagyan ng espesyal na kahon ng pagkolekta, direkta ang dumi sa tangke ng dumi sa alkantariya sa proseso ng compression, na epektibong maiiwasan ang pangalawang polusyon na dulot ng mga dumi sa alkantariya.</p> <p>6, Sa pamamagitan ng haydroliko sistema ng disenyo, ang trak makamit ang pag-andar ng dalawang-paraan basura compression, na mapabuti ang compressibility, gawin ang compression ratio ng hanggang sa 1: 2.5, ang basura ay maaaring maabot mas pagkatapos 600 ~ 800kg / m3 pagkatapos ng compression.</p>			

FRAME PARSING



PICTURE AT WORKING



ALWAYS HARD TO DO THE BEST!



FACTORY OVERVIEW



CERTIFICATES



CNAS CERTIFICATE

IAF CERTIFICATE

ISO14001 CERTIFICATE

CCC CERTIFICATE

GOST CERTIFICATE

SHIPPING WAYS



BY 20GP CONTAINER

BY 40HQ CONTAINER

BY 40 OT CONTAINER

BY FRAME

Why choose us?

1. Q: How long is the warranty period?

A: All of our trucks have one year warranty or 25000KM since you get the truck.

2. Q: What's the main market of your company?

A: We have customers all over the world. And our main market is Africa. All the individuals and units are my partners who have a demand of China's high quality automobile industry product.

3. Q: How much the production capacity and supply capacity of your factory for one year?

4. A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

5. Q: Where is your factory located?

A: Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.

6. Q: The reason why you chose our company?

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.