Auman water tank truck delivery capacity 12000 liters water truck pump









www.chinacysalestruck.com











(0086) 18808666258



steven@chinacysalestruck.com

Pr-Specification

Technique parameter			
Name	Auman single axle sprinkler truck L×W×H mm		7800×2420×3100(mm)
Chassis Model	BJ5163ELFFA	Cargo body Dimension(mm)	××(mm)
total mass	15800(Kg)	Approach/Departure angle	16/8(°)
Rated mass	9550(Kg)	front/rear suspension	1365/2435(mm)
curb mass	6055(Kg)	Max. speed	85(km/h)
Engine	manufacturer	displacement(ml)	power(kw)
ISDe185 30	Dongfeng Cummins Engine Co., Ltd.	6700	136
Emission standards	GB17691-2005Euro3,GB3847-2005		
Axle	2	front tread	1900/1800(mm)
wheelbase	4000	rear tread	1800(mm)
tyre	6	tyre size	9.00-20,9.00R20,10.00-20,10.00R20
fuel type	diesel	spring	10/10+8
axle load	5900/9900	cab passenger	3
Note	Tank capacity:10.0 m³; Tank dimension (length×long axle ×short axle):4400/2200/1400.		
Special performance	Our company specializes in producing Dongfeng Xiaobawang sprinkler truck, Dongfeng Duolika sprinkler truck, Dongfeng Sanpingchai sprinkler truck, Dongfeng Dajingang sprinkler truck, Dongfeng 140 sprinkler truck, Dongfeng 145 sprinkler truck, Dongfeng 153 sprinkler truck, Dongfeng 1254 sprinkler truck, Dongfeng 8*4 sprinkler truck, Dongfeng Tianlong sprinkler truck, and Jiefang series sprinkler truck etc. We may modify sprinkler truck with the chassis that customer's brought themselves. The sprinkler truck has front spray, rear sprinkling and side spray. There is a working platform behind the tank, on which a spry monitor is mounted. The monitor can rotate 360°, and it can spray as washdown, heavy rain, light rain and fine rain continuously. The truck is equipped with special high power spray pump produced by Hangzhou Weilong, which is top 1 in China. The pump has capacity of self-suction and self exhaust, which is equipped with strainer and fire coupling. The pump has gravity valve, and water can inflow through fire hydrant. 20m reel is optional. The truck also can spray pesticide. Spray pump: special high power spray pump, which has mature quality, reasonable design, easy to use. It has the advantage of high pressure, long suction and long work life, which leads the spray pump area home & abroad and has a market share of 93%.		

More Products





Hubei ChenYuan Special Auto Co., LTD

IVECO BRAND

Overall dimension(mm):9950X2490X3350

Tank volume (m³): 20000 Liters





Hubei ChenYuan Special Auto Co., LTD

SINOTRUCK BRAND HOWO SERIES

Overall dimension(mm):10150x2495x3220

Tank volume (m³): 15000 Liters

Hubei ChenYuan Special Auto Co., LTD

IVECO BRAND

Overall dimension(mm):8915x2500x3200

Tank volume (m³): 16500 Liters



Hubei ChenYuan Special Auto Co., LTD

JAC BRAND

Overall dimension(mm):10150x2495x3220

Tank volume (m³): 15000 Liters

FACTORY OVERVIEW

















CERTIFICATES














CNAS CERTIFICATE

IAF CERTIFICATE (ISO14001 CERTIFICATE) CCC CERTIFICATE

SHIPPING WAYS





BY 40HQ CONTAINER



BY 40 OT CONTAINER



Why choose us?

- 1. Q: How long is the warranty period?
 - A: All of our trucks have one year warranty or 25000KM since you get the truck.
- 2. Q: What's the main market of your company?
 - A: We have customers all over the world. And our main market it

 Africa. All the individuals and units are my partners who have a
 demand of china's high quality automobile industry product.
- 3. Q: How much the production capacity and supply capacity of your factory for one year?
- A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.
- 5. Q: Where is your factory located?
 - A: Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.
- 6. Q: The reason why you chose our company?
 - A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.

Contact Us

