Dongfeng 4x2 water with truck capacity 6000 liters water sprinkler trucks









Main specification							
Product model and name.	Tank truck CSC5071GSS3 (steering wheel on the left)						
Gross weight (kg)	7495	Type of unit	4X2				
Payload (Kg)	3500	Total dimension (mm)	$5995 \times 2050 \times 2450$				
Empty weight (Kg)	3800	Taxi seats	3				
Approach / departure	19/15	Front / rear suspension	1115/1580				
angle (°)	10/10	(mm)	1110/1000				

Axis No. 2		Distaı (mm)	Distance between axes (mm)						
Axle load (Kg) 2925/4570		Maxir	Maximum speed (Km / h) 95						
Chassis specification									
Chassis model	EQ1070T35DJ3AC	Make	r	Dongfeng Motor Co., Ltd					
Name of the brand	Dongfeng	Dime	nsion (mm)	5895 × 2045 × 2210					
Specification of the tire	7.00-16	Tire n	10.	6					
Steel spring number	8/9 + 5	Front	track base (mm)	1586					
Fuel type	Diesel	Rear	Rear track base (mm)		1530				
Issuance standard	Euro 3	Trans	mission	5 marches forward, 1 reverse					
	Inique row, luxurious interior finish with seating. And power steering. Vith optional air conditioning.								
Engine model	Engine manufacturer		Displaceme	ent (ml) Power (Kw)					
Yc4f115-30	Guangxi Yuchai Machinery Co., Ltd 2659 85								
Performance									
Tank volume (m³)	5 (5000 liters)		Tank material		Carbon steel Q235				
Water pump model	nnu/40/4n		Flow rate of the water pump (m ³ / h)		40				
Watering width (M) ≥ 14			Reach of the water cannon (M).		≥28				
Easture and applied	tion								

Feature and application

1). Equipped with a high suction and self-suction water pump characterized by high pressure and fast suction speed.

2). Equipped with front, rear and side sprinklers, high position sprinklers and rear work platform.

3). The water cannon that is installed on the working platform can rotate 360 degrees and the water flow can be adjusted in various forms of rain. There is straight form, intense rain, moderate rain and drizzle, etc. The maximum range can reach 30M.

4). Equipped with fire coupling, flow valves, filter screen and water level meter.

5) .According to the customers' request, the crane, the high work platform and the spraying machine can also be equipped.

6). It is mainly used for washing in urban roads, irrigation and greening of trees, green belts and grass and dust full of construction sites. And it is also used for the delivery of drinking water and fire fighting function, etc.

























1. Q: How long is the warranty period?

A: All our trucks have a one year warranty or 25000KM since you got the truck.

2. Q: What is the main market of your company?

A: We have customers all over the world and our main market is Afrian, all individuals and units are my partners that have a demand for high quality automotive products from China. **3. Q: How much the production capacity and supply capacity of your Factory for one**

year?

. A: This depends on your needs. 10 years of experience in the sale of spare parts make us have a supply channel without problems.

4. Q: Where is your factory located?

A: Our company is located in the city of Suizhou, Hubei Province, the capital of the special purpose vehicle in China. Welcome to our factory.


5. Q: The reason why you chose our company?

A: We have abundant supply of resources, professional quality inspection engineers, excellent service team, we will integrate all the resources for your needs, we will allow you to experience the most profitable and convenient all-in-one procurement services to effectively reduce the purchases. cost.



















if you want to know me, please use your phone to scan above QR code