Dongfeng brand 2000 cubic metre water tank fire fighting truck supplier



Main specification								
erosuct model an same Gross weight(Kg)	5495	PSG10/X Water	r tank fire fighti Orive type Overall	lic2				
Payload(Kg) Curb weight(Kg) Approach/departu	1250 3870 re 19/12	1250 0870		6260±1900x2750 5 1032/1928				
ungle(*) Axle No. Axle load(Kg)	2470/3025	2		1000 100				
Chassis specificat Chassis model	on bQ1050NJ20D3	Manufacturer	Dongfeng Note	or Co.,Ltd				
Tyre specification Steel spring	Dongling 7.00-16 5/9+5,6/8+4	Front track	6 1404,1506	30				
Fuel type Emission	Diesel Suro 3	Rear track base(ram)	1458,1466 5 forward gear	c.1 reverse gear				
etandard Csb	Four opening d structure with o Engine model	oors and whole optional air con	flat cab with do dition.	uble row, whole steel frame and welding				
Engine information	Displacement(s Engine manufa	ally Power(Kw)	1856/70 Dongfeng Char	oyung Chuochai Power Co.,Ltd				
Speed at Max Torque 2000yes  Water tank fire Eighting truck performance  Water tank  Soliton 250 to 250 (2 to 2.5 CBM)								
rolume(L)	Fire monitor	(2 to 2.5 CBN) model PS20, le	rel rotation by 3 gle of depression	60°,				
Fire pump	Rangein 40m/ Model CB100		0L/S Pressure:1					
Water tank fire tr	ack Feature fire fighting true and tolet and o	k is mainly ma	de up of the cab, tem,fire monitor,	water tank, water pump house, equipment				
S.The entire distri pump house.The r box. C It has the feature	bution of truck ear part is the t	is divided into t ruck body.The	hree parts.The f freet part of car	electronic alarm, alarm lamp etc.parts. roni part is passenger room. The middle part i body is water tank, the rear part is equipment gold capacity etc. It is adopted the extended				
cab. With seat com D. It is widely used enterprises and po-	fortably and ce in the public se erts, terminals a cities. It is the i	strakzed opera curity fire brig nd other place deal large fire-	tion, simple main ade, the petroles to save the larg	tenance, am chemical industry, factories and mines so of oil fire and general material fire in large oil.				
numbered		angol 1294	w/stpme					
		FACTOR	(OVERVIEW					
- NO. (10.)	THE THE SAME			AND THE PERSON NAMED IN				
24				A HAME				
	south !							
1	3/4	7	_/					
-				Total Market				
*								
0	E tre time	1000	3335					
		HORKS	OP DISPLAY					
SE CONTROL DE LA		Section of the sectio	ET 2 IX	CC L				
2. Q: How I A: All of o 2. Q: What A: We has units are my 3. Q: How year? A: This ds smooth supp 4. Q: When A: Our con vehicle in CO 5. Q: The n A: We has onperience t effectively re	ong is the war trucks have it is the main in or customers a partnerswho is much the pro- spends on your by channels. It is locate in a Warmly in eason why ye is the abundar cellent service he more cost- duce the purch	rranty perio one year wars sarket of you il over the wo are a domain duction capi needs. 10 ye. oory located? discussion of circome to our ou chose our resources si bearn, we will flective and n hasing cost.		M since you got the truck in mirror it Africa, all the incidentals and in mirror it Africa, all the incidentals and in mirror it and in a since product all years and a since product all years and a since product all years are a since product to sales experience makes us have a nece, the Capital of Special Purpose and guality impaction and guality impaction of the production of t				
		PACKAGN	G & SHIPPING					
	•	OUR	MARKET	•				
45	Okanjary Franki Okanjary Okanjar Okanjary Okanjar Okanjary	-						








