dongfeng brand 4x2 garbage truck price



Main specifications								
Product model⊡name		CSC5060ZYS3 Compression Garbage Truck(Left hand drive)						
Gross weight(Kg)				Driving type		4*2		
Payload (Kg)		4000		Overall dimension (mm)		6470*2050*2560		
Curb weight(Kg)		5365		Cab seats (man)		2		
Approach/departure angle (°)		10/19		Front/rear hang(mm)		1032/2138		
Axle No.		2		Wheelbase (mm)		3300		
Axle load(Kg)		2570/3925		Max speed(Km/h)		95		
Chassis specifications								
Chassis model	EQ1060TJ	EQ1060TJ20D3		Manufacture		Dongfeng automobile company		
Brand name	Dongfeng	Dongfeng		Overall dimension (mm)		5820*1940*2080		
Tire specification	7.00-16	7.00-16		Tires No.		6+1		
Steel spring number	8/9+5	8/9+5		Front track(mm)		1506		
Fuel type	Diesel	Diesel		Rear track(mm)		1442		
Emission standard	Euro II					5 forward		
Cab	Flat single	Flat single cab, luxurious interiors and seats, air conditioning is optional						
Engine model	Engine ma	Engine manufacture Displacement(ml) Power(Kw)/Horsepower						

CY4102-C3F	Dongfeng chaoyang chaochai power co.,ltd 3856 70/95HP						
Performance	Body capacity□m³□:5						
	Compression cycle time□S□:30						
	Control system :Manual + Automatic						
	Hopper capacity[m³]0.8						
	Unload garbage time[S]:40						
	Control system: Manual + Automatic						
Main Characteristic	<u> </u>						
1 ☐Can choose 240L ☐	single bin double bins or 360L 660L 1100L standard bin lifting	and turnover mechanism[can also					
choose ground hoppe	er and other kinds of loading mechanism.						
2□With manual and a	automatic two sets of control method, the operator can control in	the cabin, in the middle side or the back					
	nvenient and efficient.						
	ce of emergency braking stop button□						
4□Garbage body use frame design, elegant, strong structure, large effective capacity.							
	ecial collection box, sewage directly into the sewage tank in the pa	rocess of compression, that is effectively					
	tion caused by sewage leaks.						
	system design, the truck achieve the function of two-way garbag						
compressibility, make the compression ratio up to 1:2.5, the garbage can reach more then 600□800kg□m3 after compression.							

FRAME PARSING



PICTURE AT WORKING



FACTORY OVERVIEW

















CERTIFICATES

















CNAS CERTIFICATE

IAF CERTIFICATE (ISO14001 CERTIFICATE) CCC CERTIFICATE

SHIPPING WAYS





BY 40HQ CONTAINER



BY 40 OT CONTAINER



Why choose us?

- 1. Q: How long is the warranty period?
 - A: All of our trucks have one year warranty or 25000KM since you get the truck.
- 2. Q: What's the main market of your company?
 - A: We have customers all over the world. And our main market it

 Africa. All the individuals and units are my partners who have a
 demand of china's high quality automobile industry product.
- 3. Q: How much the production capacity and supply capacity of your factory for one year?
- A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.
- 5. Q: Where is your factory located?
 - A: Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.
- 6. Q: The reason why you chose our company?
 - A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.