

Foton brand mobile food truck supplier, food truck for sale

MOBILE SALES SHOP

**Manufacture's direct selling
in order to save costs for our customers**

Keep a good quality and create a good comfortable outdoor sales window



辰远专汽
CHENYUAN-AUTO



1. Product Name: Mobile food truck
2. Production brand: Foton brand
3. Drive direction: Left hand drive
4. Product model: CLW5030XSHB5
5. Overall size(mm): 5130x1800x2570
6. Cabinet size(mm): 3100x1800x1750
7. Bear weight: 1.5~2 Tons
8. Gearbox: 5 Forward and 1 reverse
9. Engine Model: LJ469Q-1AE9
10. Spray color: Any color



Main Specification

□ Main Technical Parameters □

Production name	BJ1036V5JV5-D1 Mobile Food Truck		
GVW(kg)	2550	Rated weight (Kg)	860
Curb weight (kg)	1560	Cab seats (man)	2

Overall dimensions(mm)	5130×1780×2630	Cabinet size(mm)	3000*1780*1810
Approach / departure angle(°)	39/20	F/R overhang(mm)	605/1055
Number of axles	2	Wheel base(mm)	3070
Axle-load(Kg)	700/1850	Max speed(Km/h)	115
□ Chassis Technical Parameters □			
Chassis model	BJ1036V5JV5-D1		
Brand	FOTON	Manufacturer	Foton motor co., LTD
Tire specification	175R14LT 8PR	Number of tire	4
Front track base(mm)	1338	Rear track base(mm)	1375
Fuel Type	gasoline	Emission standard	Euro V
Gearbox	5 forward gears and 1reverse		
Cab	Single row, left steering wheel		
Engine's Technical Parameters	Engine model: LJ469Q-1AE9		
	Engine Manufacturer	Foton motor co., LTD	
	Displacement (ml)	1249	
	Max power(Kw)	64	
	Maximum torque/ Maximum torque speed	118N.m/ 6000rpm	



Standard Configuration: The food truck external surface body is fiberglass steel, intermediate interlayer for heat insulation and fire insulation layer, and the internal surface is stainless steel; The left and right side and the backside can be expanded and there is vending bar on both left and right side. The internal compartment is installed with LED floodlights, megaphone, master switch, USB interface, large space locker; The outside of the compartment is installed with two loudspeakers, 105A storage battery, 220V external power supply interface, 15m external power supply cord, telescopic truck pedal; Different truck colors and skin stickers are optional.

Food truck optional equipments description:

Optional Configuration: Internal compartment equipment can be customised according to user's requirements such as generator/freezer/cold drink machine/vending bar/cooker etc; The left and right side of the compartment body can be choosed different structure forms of side panel; The selling window can be also opened on any side of the truck body according to customer demand, the below board can be unfold to extend the cargo area in vending operation; The glass sliding window can be also choosed on both side of the compartment body. The back door of the compartment can choose single open door, double flat open door or lift-up door. Both sides and back of the compartment can be optional advertising glass roller light box or LED screen. Truck roof can choose overhead air conditioning, baggage holder, left and right side can be choosed awning, the back side of the truck can be choosed crawling ladder.

FOOD TRUCK DISPLAY




INNER EQUIPMENT' DETAILS



辰远专汽
CHENYUAN-AUTO


Focus on all the details

we will recommend all equipments be suitable for you!



Summary:

- selling snacks, as a fast food cart which you can make and sell fast food
- kitchen cart which you can make food for yourself
- shop which you can sell phone card and phone
- aid post which you can help everyone
- book store which you can sell newspaper, magazine etc
- housing when you have a trip by car or jeep
- repair shop to main for your clients
- empty cart which do it by yourself



 <p>More</p>	 <p>More</p>	 <p>More</p>
<p>Hubei ChenYuan Special Auto Co., LTD</p> <p>Foton Brand mobile food truck</p> <p>Overall dimensions(mm): 4730×1780×2630</p> <p>Cabinet size(mm):2900×1720×1810</p>	<p>Hubei ChenYuan Special Auto Co., LTD</p> <p>CHERRY Brand mobile food truck</p> <p>Overall dimensions(mm): 4730×1780×2630</p> <p>Cabinet size(mm):2900×1720×1810</p>	<p>Hubei ChenYuan Special Auto Co., LTD</p> <p>CHANGAN Brand mobile food truck</p> <p>Overall dimensions(mm): 4730×1780×2630</p> <p>Cabinet size(mm):2900×1720×1810</p>
 <p>More</p>	 <p>More</p>	 <p>More</p>
<p>Hubei ChenYuan Special Auto Co., LTD</p> <p>IVECO Brand mobile food truck</p> <p>Overall dimensions(mm): 5995×2370×3200</p> <p>Cabinet size(mm):3650×2120×1960</p>	<p>Hubei ChenYuan Special Auto Co., LTD</p> <p>FOOD TRAILER</p> <p>Overall dimensions(mm): 5630×2130×2500</p>	<p>Hubei ChenYuan Special Auto Co., LTD</p> <p>DONGFENG Brand mobile food truck</p> <p>Overall dimensions(mm): 5995 × 2090 × 3300</p> <p>Cabinet size(mm):4200×1800×1850</p>









1. Q: How long is the warranty period?

A: All of our trucks have one year warranty or 25000KM since you get the truck.

2. Q: What's the main market of your company?

A: We have customers all over the world and our main market is Africa, all the individuals and units are my partners who have a demand of China's high quality automobile industry product.

3. Q: How much the production capacity and supply capacity of your factory for one year?

A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

4. Q: Where is your factory located?

A: Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.

5. Q: The reason why you chose our company?

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.





OUR MARKET



CLIENTS INVISTING



CONTACT US

Steven.wang



Tel:+86 722 3229822



Mobile:++86 18808666258



Email: steven@chinacyalestruck.com



Skype:Truck_chengli



Whatsap:+86 18808666258



Web: www.chinacyalestruck.com



if you want to know me,
please use your phone to
scan above QR code