

# ISUZU Brand 100P Series mobile LED truck in p5,p6,p8 screen plate factory



Main Specification

| Main specification  |   |                             |                           |
|---|---|-----------------------------|---------------------------|
| Product model□name  | CSC5040XXCW (ISUZU Light LED truck)   |                             |                           |
| Gross weight(Kg)  | 4475  | Drive type                  | 4 x 2                     |
| Curb weight(Kg)   | 4345  | Overall dimension (mm)      | 5990×2000×2900            |
| Wheelbase(mm)   | 3360  | Cab seats (man)             | 2                         |
| Approach / departure angle(°)   | 24/15   | Front/rear hang(mm)         | 1015/1615                 |
| Axle load   | 1800/2675   | Max speed(Km/h)             | 98.00                     |
| Chassis specification   |   |                             |                           |
| Chassis model   | QL10403HARY   | Manufacturer                | Qingling Motors Co., Ltd. |
| Brand name  | ISUZU (100P Series)   | Number of axes              | 2                         |
| Tire specification  | 7.00-15   | Tires No.                   | 6                         |
| Leaf spring   | 8/6+5, 4/3+2  | Front track(mm)             | 1504                      |
| Type of fuel  | Diesel  | Rear track(mm)              | 1425                      |
| Emission standard   | Euro IV   | Transmission                | ISUZU MSB 5 Forward Gear  |
| Driving cab   | The shrinking middle Cab, luxury dashboard and seat with air conditioning, and the direction of power   |                             |                           |
| Engine model  | Engine Manufacturer   | Displacement(ml)            | Power(KW)                 |
| 4JB1CN  | Qingling Isuzu (Chongqing) Engine Co., Ltd.   | 2771                        | 72                        |
| Mobile LED truck specification  |   |                             |                           |
| LED screen size (length x high)(mm)   | 3840 x 1700 (Left and Right side)   | Led side screen area (□)    | 6.8 *2 = 13.6             |
| Screen Lift Height□m  | 1.5 (Left and Right side)   | LED screen's pixel pitch□mm | 6                         |
| Rear P6 Full-color LED Screen size□Length ×Width□(mm)   | 1280×1440 (P6 Screen)   | Engine within the body      | OUMA25CY (25KW)           |
| Remark  | There be equipped the Silent generator, wooden floors, lighting, ventilation fans, skylights, computers, stereos, amplifiers and other facilities within the body , and 220V external power connector outside the body. Rear P6 Full-color LED Screen |                             |                           |
| □The Main Features of LED truck□  |   |                             |                           |
| <p>1. This truck is a special vehicle for advertising, generally used for the product promotion, brand promotion, draft activities , live shows sales, sporting events, vocal concerts, concerts and so on!</p> <p>2. Can be showing at any time, communication, interaction, publicity coverage extensively. And meanwhile effectively get the best of advertising effect.</p> |   |                             |                           |



**MOBILE LED TRUCK**


Scanning mode:1/8 Scanning  
 Point spacing (mm) :6  
 Module pixel (point):32\*32  
 Module Size (mm) :192\*192  
 Pixel density (point /m2):27777  
 Structural characteristics:Lamp drive in one  
 brightness(CD/M2):≥5800  
 Module weight(Kg):0.335  
 Maximum current(A):6.94  
 Whole screen power(W/m2): 942  
 Optimal sight distance (m):≥6



Type of lamp tube:SMD3535  
 Attenuation rate:≤15%  
 Average time free time: ≥10 thousand hours  
 Blind rate: <0.0001, The factory is 0  
 Viewing angle(°):  
 Level: 140°  
 Vertical: 130°  
 DriveIC: Constant current drive chip  
 Refresh rate(HZ): ≥ 960  
 Protection grade: IP65(Front)  
 Gray level (Bit) :13



# Tilt Sensor Installation Diagram







WORKSHOP DISPLAY



OUR CERTIFICATION





## Why Choose Us?

**1. Q: How long is the warranty period?**

A: All of our trucks have one year warranty or 25000KM since you get the truck.

**2. Q: What's the main market of your company?**

A: We have customers all over the world and our main market is Africa, all the individuals and units are my partners who have a demand of China's high quality automobile industry product.

**3. Q: How much the production capacity and supply capacity of your factory for one year?**

A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

**4. Q: Where is your factory located?**

A: Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.

**5. Q: The reason why you chose our company?**

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.

## PACKAGING & SHIPPING



OUR MARKET





CLIENTS INVISTING



CONTACT US

**Steven.wang**



Tel:+86 722 3229822



Mobile:++86 18808666258



Email: [steven@chinacyalestruck.com](mailto:steven@chinacyalestruck.com)



Skype:Truck\_chengli



Whatsap:+86 18808666258



Web: [www.chinacyalestruck.com](http://www.chinacyalestruck.com)



if you want to know me,  
please use your phone to  
scan above QR code