### New style mobile food truck for sale

## **MOBILE SALES SHOP**

# Manufacture's direct selling in order to save costs for our customers

Keep a good quality and create a good comfortable outdoor sales window



Vehicle information	Production name	Engine model		Max net	Rated		Emission standard	Engine type	Max
			power	power	torque	displacement(L)			speed
			(kW/rpm)	(kW/rpm)	(N.m/rpm)				Km/h
	Mobile food truck	CA4DC3-10E5	79/3200	76/3200	245/20000	3.0	V	Turbocharged intercooler High	100
								pressure	
	T 11 ( )	F 7 4 0	- 1		T (4.0.01 )	15.0		common rail	
Basic specification	J ` ′				(L/100km) 15.0				
	Width(mm)				=30km/h)				
	High(mm)	2890	Maximum	gradient	(%)	30			
	Carriage height	1800	Minimum turning diameter (m)			≤15			
	Wheelbase	3300	curb Vehicle		4090,4150,4220,4350				
	Front/rear suspension (mm)		weight (kg) Front / rear axle		1650/2440,1680/2470,1710/2510,1760/2590				
	Track before after (mm)	1606/1430	Maximum			4480			
	Minimum ground clearance (mm)	150				1820/2660			
	Approach angle / departure angle (°)		Engine position			Front			
Program Standard configuration					Optional configuration				

	Clast all	Single piece dry, hydraulically operated	
	Clutch	remotely	
	Transmission	Domestic five speed gearbox	
	front axle	Lean to axle, carrying capacity 2.2t	
	Rear axle	Lean to axle, carrying capacity 4T	
	suspension system	Leaves (3/4), hydraulic shock absorber	
	steering system	Power steering, steering wheel up and down, front and rear adjustable	
	braking system	Pneumatic double loop, front disc and drum brake, breathe, dryer, self adjustment arm, WABCO ABS	
	tyre	Triangle: 225/75R16LT, no spare wheel	
	Tank (gas cylinder)	70L	
	Frame	Bending beam	
	Engine thermal management system		
vehicle body match	Body structure	Semi load structure, stretch skin, front door, three steps, rear blind window, driver's rear partition (no door with dialogue window)	Fully closed tempered glass
	body trim	Simplify interior trim, flat floor (wheel cover raised), imitation solid wood flooring leather, left display rack (with lamp belt and advertising lamp box), right lockers (with expansion plate)	
	Door and pump	Remote control type toughened glass outside swinging door (front swing) and rear single door (can be opened inside and outside)	
	Chair	Driver's chair, staff seat	
	AC	No	AC No driving air conditioner (partition installing driving zone) Train air conditioner (whole car) 1.5P city electric top air conditioner
	Warm air system	No	<u> </u>
	Defrost system	Engine residual heat defrost	
	Rear view	Hand lever reverse mirror, front blind	
	system	mirror	
	Others	The car fire extinguisher, engine room with 1 double fire bombs, no wind window, front windshield sunshade, the driver on the right side (the curtains, turn around the lamp with valgus door), back stepping and fan driver manual activities	
electric implement match		24V, single wire, negative electrode	
	power supply	120Ah storage battery (two) /70A generator	
	system	(100A distribution train air conditioner)	
	Audiovisual system	MP3 retracting machine Power amplifier, 1 piece, 32 inch foreign TV, roof 2 waterproof sound column	
	Auxiliary-parking system	No	Color reversing monitor
The	Vehicle lamp	Integral front lamp, split rear lamp	
	Service facilities	Traveling data recorder (with GPS)	
	Electricity Allocation	City electric access system (90Ah service battery, 1KW charging and inverting machine)	
	Others	Wiper	



Standard Configuration: The food truckexternal surface body is fiberglass steel, intermediate interlayer for heatinsulation and fire insulation layer, and the internal surface is stainless steel; The left and right side and the backside can be expanded and there is vendingbar on both left and right side. The internal compartment is installed with LED floodlights, megaphone, master switch, USB interface, large space locker; Theoutside of the compartment is installed with two loudspeakers, 105A storage battery, 220V external power supply interface, 15m external power supply cord, telescopic truck pedal; Different truck colors and skin stickers are optional.

#### Food truck optional equipments description:

Optional Configuration: Internal compartment equipment can be customised according to user's requirements suchas generator/freezer/cold drink machine/vending bar/cooker etc; The left andright side of the compartment body can be chosed different structure forms of side panel; The selling window can be also opened on any side of the truck bodyaccording to customer demand, the below board can be unfold to extend the cargoarea in vending operation; The glass sliding window can be also choosed on bothside of the compartment body. The back door of the compartment can choose singleopen door, double flat open door or lift-up door. Both sides and back of the compartment can be optional advertising glass roller light box or LED screen. Truck roof can choose overhead air conditioning, baggage holder, left and right side can be chosed awning, the back side of the truck can be chosedcrawling ladder.





# **INNER EQUIPMENT' DETAILS**
















#### Summary:

- · selling snacks, as a fast food cart which you can make and sell fast food
- · kitchen cart which you can make food for yourself
- · shop which you can sell phone card and phone
- · aid post which you can help everyone
- · book store which you can sell newspaper , magazine etc
- · housing when you have a trip by car or jeep
- · repare shop to main for your clients
- · empty cart which do it by yourself







Hubei ChenYuan Special Auto Co., LTD

Foton Brand mobile food truck Overall dimensions(mm): 4730×1780×2630 Cabinet size(mm):2900\*1720\*1810



Hubei ChenYuan Special Auto Co., LTD

CHERRY Brand mobile food truck Overall dimensions(mm): 4730×1780×2630 Cabinet size(mm):2900\*1720\*1810



Hubei ChenYuan Special Auto Co., LTD

CHANGAN Brand mobile food truck Overall dimensions(mm): 4730×1780×2630 Cabinet size(mm):2900\*1720\*1810



Hubei ChenYuan Special Auto Co., LTD

NECO Brand mobile food truck
Overall dimensions(mm): 5995x2370x3200
Cabinet size(mm):3650x2120x1960



Hubei ChenYuan Special Auto Co., LTD

FOOD TRAILER Overall dimensions(mm): 5630\*2130\*2500



Hubei ChenYuan Special Auto Co., LTD

DONGFENG Brand mobile food truck Overall dimensions(mm): 5995 \* 2090 \* 3300 Cabinet size(mm):4200x1800x1850

FACTORY OVERVIEW















WORKSHOP DISPLAY















#### 1. Q: How long is the warranty period?

A: All of our trucks have one year warranty or 25000KM since you get the truck.

#### 2. Q: What's the main market of yourcompany?

A: We have customers all over the worldand our main market it Afrian, all the individuals and units are my partnerswho have a demand of china's high quality automobile industry product.

## 3. Q: How much the production capacity and supply capacity of your factory for one year?

. A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

#### 4. Q: Where is your factory located?

A:Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.


#### 5. Q: The reason why you chose our company?

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.









## CLIENTS INVISTING







Tel:+86 722 3229822



Mobile:++86 18808666258



Email: steven@chinacyalestruck.com



Skype:Truck\_chengli



Whatsap:+86 18808666258



Web: www.chinacysalestruck.com

### Steven.wang



if you want to know me, please use your phone to scan above QR code