

## New style mobile food truck for sale

# MOBILE SALES SHOP


Manufacture's direct selling  
in order to save costs for our customers

Keep a good quality and create a good comfortable outdoor sales window



Vehicle information	Production name	Engine model	Rated power (kW/rpm)	Max net power (kW/rpm)	Rated torque (N.m/rpm)	displacement(L)	Emission standard	Engine type	Max speed Km/h
	Mobile food truck	CA4DC3-10E5	79/3200	76/3200	245/2000	3.0	V	Turbocharged intercooler High pressure common rail	100
Basic specification	Length(mm)	5740	Fuel consumption (L/100km)		15.0				
	Width(mm)	1920	Braking distance (v=30km/h)		≤10				
	High(mm)	2890	Maximum gradient (%)		30				
	Carriage height	1800	Minimum turning diameter (m)		≤15				
	Wheelbase	3300	curb weight (kg)	Vehicle		4090,4150,4220,4350			
	Front/rear suspension (mm)	940/1500		Front / rear axle		1650/2440,1680/2470,1710/2510,1760/2590			
	Track before after (mm)	1606/1430	Maximum mass (kg)	Vehicle		4480			
	Minimum ground clearance (mm)	150		Front / rear axle		1820/2660			
	Approach angle / departure angle (°)	24/13	Engine position			Front			
Program	Standard configuration				Optional configuration				

	Clutch	Single piece dry, hydraulically operated remotely	
	Transmission	Domestic five speed gearbox	
	front axle	Lean to axle, carrying capacity 2.2t	
	Rear axle	Lean to axle, carrying capacity 4T	
	suspension system	Leaves (3/4), hydraulic shock absorber	
	steering system	Power steering, steering wheel up and down, front and rear adjustable	
	braking system	Pneumatic double loop, front disc and drum brake, breathe, dryer, self adjustment arm, WABCO ABS	
	tyre	Triangle: 225/75R16LT, no spare wheel	
	Tank (gas cylinder)	70L	
	Frame	Bending beam	
	Engine thermal management system	□	
vehicle body match	Body structure	Semi load structure, stretch skin, front door, three steps, rear blind window, driver's rear partition (no door with dialogue window)	Fully closed tempered glass
	body trim	Simplify interior trim, flat floor (wheel cover raised), imitation solid wood flooring leather, left display rack (with lamp belt and advertising lamp box), right lockers (with expansion plate)	
	Door and pump	Remote control type toughened glass outside swinging door (front swing) and rear single door (can be opened inside and outside)	
	Chair	Driver's chair, staff seat	
	AC	No	AC No driving air conditioner (partition installing driving zone) Train air conditioner (whole car) 1.5P city electric top air conditioner
	Warm air system	No	
	Defrost system	Engine residual heat defrost	
	Rear view system	Hand lever reverse mirror, front blind mirror	
electric implement match The	Others	The car fire extinguisher, engine room with 1 double fire bombs, no wind window, front windshield sunshade, the driver on the right side (the curtains, turn around the lamp with valgus door), back stepping and fan driver manual activities	
	Electrical system	24V, single wire, negative electrode	
	power supply system	120Ah storage battery (two) /70A generator (100A distribution train air conditioner)	
	Audiovisual system	MP3 retracting machine Power amplifier, 1 piece, 32 inch foreign TV, roof 2 waterproof sound column	
	Auxiliary-parking system	No	Color reversing monitor
	Vehicle lamp	Integral front lamp, split rear lamp	
	Service facilities	Traveling data recorder (with GPS)	
	Electricity Allocation	City electric access system (90Ah service battery, 1KW charging and inverting machine)	
Others	Wiper		



## Food truck description

Standard Configuration: The food truck external surface body is fiberglass steel, intermediate interlayer for heat insulation and fire insulation layer, and the internal surface is stainless steel; The left and right side and the backside can be expanded and there is vending bar on both left and right side. The internal compartment is installed with LED floodlights, megaphone, master switch, USB interface, large space locker; The outside of the compartment is installed with two loudspeakers, 105A storage battery, 220V external power supply interface, 15m external power supply cord, telescopic truck pedal; Different truck colors and skin stickers are optional.

Food truck optional equipments description:

Optional Configuration: Internal compartment equipment can be customised according to user's requirements such as generator/freezer/cold drink machine/vending bar/cooker etc; The left and right side of the compartment body can be closed different structure forms of side panel; The selling window can be also opened on any side of the truck body according to customer demand, the below board can be unfold to extend the cargo area in vending operation; The glass sliding window can be also choosed on both side of the compartment body. The back door of the compartment can choose single open door, double flat open door or lift-up door. Both sides and back of the compartment can be optional advertising glass roller light box or LED screen. Truck roof can choose overhead air conditioning, baggage holder, left and right side can be closed awning, the back side of the truck can be closed crawling ladder.



## FOOD TRUCK DISPLAY





# INNER EQUIPMENT' DETAILS



辰远专汽  
CHENYUAN-AUTO

Focus on all the details

we will recommend all equipments be suitable for you!



## Summary:

- selling snacks, as a fast food cart which you can make and sell fast food
- kitchen cart which you can make food for yourself
- shop which you can sell phone card and phone
- aid post which you can help everyone
- book store which you can sell newspaper, magazine etc
- housing when you have a trip by car or jeep
- repair shop to main for your clients
- empty cart which do it by yourself



OTHER'S TYPE



More

Hubei ChenYuan Special Auto Co., LTD

Foton Brand mobile food truck  
Overall dimensions(mm): 4730\*1780\*2630  
Cabinet size(mm):2900\*1720\*1810



More

Hubei ChenYuan Special Auto Co., LTD

CHERRY Brand mobile food truck  
Overall dimensions(mm): 4730\*1780\*2630  
Cabinet size(mm):2900\*1720\*1810



More

Hubei ChenYuan Special Auto Co., LTD

CHANGAN Brand mobile food truck  
Overall dimensions(mm): 4730\*1780\*2630  
Cabinet size(mm):2900\*1720\*1810



More

Hubei ChenYuan Special Auto Co., LTD

IVECO Brand mobile food truck  
Overall dimensions(mm): 5995x2370x3200  
Cabinet size(mm):3650x2120x1960



More

Hubei ChenYuan Special Auto Co., LTD

FOOD TRAILER  
Overall dimensions(mm): 5630\*2130\*2500



More

Hubei ChenYuan Special Auto Co., LTD

DONGFENG Brand mobile food truck  
Overall dimensions(mm): 5995 \* 2090 \* 3300  
Cabinet size(mm):4200x1800x1850

## FACTORY OVERVIEW





WORKSHOP DISPLAY





OUR CERTIFICATION



## Why Choose Us?

**1. Q: How long is the warranty period?**

A: All of our trucks have one year warranty or 25000KM since you get the truck.

**2. Q: What's the main market of your company?**

A: We have customers all over the world and our main market is Africa, all the individuals and units are my partners who have a demand of China's high quality automobile industry product.

**3. Q: How much the production capacity and supply capacity of your factory for one year?**

A: This depends on your needs. 10 years of spare parts sales experience makes us have a smooth supply channels.

**4. Q: Where is your factory located?**

A: Our company is located in Suizhou City, Hubei Province, the Capital of Special Purpose Vehicle in China. Warmly welcome to our factory.

**5. Q: The reason why you chose our company?**

A: We have the abundant resources supply, professional quality inspection engineers, excellent service team, we will integrate all resources for your needs, let you experience the more cost-effective and more convenient "one-stop" procurement services, effectively reduce the purchasing cost.

## PACKAGING & SHIPPING





OUR MARKET





CLIENTS INVISTING



CONTACT US

**Steven.wang**



Tel:+86 722 3229822



Mobile:++86 18808666258



Email: [steven@chinacyalestruck.com](mailto:steven@chinacyalestruck.com)



Skype:Truck\_chengli



Whatsap:+86 18808666258



Web: [www.chinacyalestruck.com](http://www.chinacyalestruck.com)



if you want to know me,  
please use your phone to  
scan above QR code